

Literature: *Atelocynus microtis*
Compiled by the Amazonian Canids Working Group – 01/2021

Acevedo-Quintero JF & Zamora-Abrego JG. 2016. Papel de los mamíferos en los procesos de dispersión y depredación de semillas de *Mauritia flexuosa* (Arecaceae) en la Amazonia colombiana. *Revista de Biología Tropical* 64(1):5-15.

Aguirre LF, Tarifa T, Wallace RB, Bernal N, Siles L, Aliaga-Rossel E & Salazar-Bravo J. 2019. Lista actualizada y comentada de los mamíferos de Bolivia. *Ecología en Bolivia* 54(2):107-147.

Arispe R & Venegas C. 2015. Densidad poblacional de jaguar (*Panthera onca*) y abundancia de mamíferos medianos y grandes en la Unidad de Manejo Forestal CINMA-San Martín, en el Bajo Paragvá. Museo de Historia Natural Noel Kempff Mercao & Gobierno Autónomo Departamental de Santa Cruz. Santa Cruz de la Sierra, Bolivia. 36pp.

Ayure S & González-Maya JF. 2014. Registro notable del Perro de Orejas Cortas *Atelocynus microtis* (Carnivora: Canidae) en el trapecio amazónico, Colombia. *Notas Mastozoológicas – Sociedad Colombiana de Mastozoología* 1(1):6-7.

Baillie J & Groombridge B. 1996. *1996 IUCN Red List of Threatened Animals*. IUCN, Gland, Switzerland.

Bardeleben C, Moore RL, & Wayne RK. 2005. Isolation and Molecular Evolution of the Selenocysteine tRNA (*Cf TRSP*) and RNase P RNA (*Cf RPPH1*) Genes in the Dog Family, Canidae. *Molecular Biology and Evolution* 22(2):347-359.

Berta A. 1986. *Atelocynus microtis*. *Mammalian Species* 256:1-3.

Beisiegel B de M. 2017. Cumulative environmental impacts and extinction risk of Brazilian carnivores. *Oecologia Australis* 21(3):350-360.

Blake JG, Mosquera D, Loiselle BA, Swing K, Guerra J & Romo D. 2012. Temporal activity patterns of terrestrial mammals in lowland rainforest of eastern Ecuador. *Ecotropica* 18:137-146.

Botelho ALM, Borges LHM, & McFarland B. 2018. Abundance and composition of the medium to large-size mammals in a private area of REDD+ project in Acre, Brazil. *Biota Neotropica* 18(3): e201070487.

Carvalho, A, Martins-Hatano, F, Martins, F, Gettinger, D, Dutra, F, & Bergallo, H. 2014. Large and medium-sized mammals of Carajás National Forest, Pará state, Brazil. *Check List* 10(1):1-9

Cisneros-Heredia DF & Mosquera D. 2010. First record of a canid (*Atelocynus microtis*) predated on a caecilian amphibian. *Avances* 2(3):B5-B6.

Literature: *Atelocynus microtis*
Compiled by the Amazonian Canids Working Group – 01/2021

Dávila Ludeñ IP. 2017. Seroprevalencia de *Toxoplasma gondii* en mamíferos silvestres de un centro de conservación en el departamento de Madre de Dios. DVM Thesis, Universidad Alas Peruanas, Lima, Perú.

Defler T & Santacruz A. 1994. A capture of and some notes on *Atelocynus microtis* (Sclater, 1883) (Carnivora: Canidae) in the Colombian Amazon. *Trianea* 5:417-419.

de Moura Bubadué J, Cáceres N, dos Santos Carvalho R & Meloro C. 2016. Ecogeographical variation in skull shape of South American canids: abiotic or biotic processes? *Evolutionary Biology* 43:145-159.

Emmons LH & Feer F. 1990. *Neotropical Rainforest Mammals: A Field Guide*. University of Chicago Press, Chicago, USA.

Emmons L, Chavez V, Rocha N, Phillips B, Phillips I, del Águila LF & Swarner MJ. 2006. The non-flying mammals of Noel Kempff Mercado National Park (Bolivia). *Revista Boliviana de Ecología y Conservación Ambiental* 19:23-46.

Fox MW. 1971. *Behaviour of wolves, dogs and related canids*. Harper & Row Publishers, New York, USA.

Emmons LH & Feer F. 1997. *Neotropical Rainforest Mammals: A Field Guide, 2nd Edition*. University of Chicago Press, Chicago, USA.

Gomez H, Wallace RB, Ayala G, & Tejada R. 2005. Dry season activity periods of some Amazonian mammals. *Studies on Neotropical Fauna and Environment* 40:91-95.

Grimwood IR. 1969. Notes on the distribution and status of some Peruvian mammals 1968. *Special publication American Committee for International Wild Life Protection No. 21*. New York Society, Bronx New York, USA.

Groombridge B. 1994. *1994 IUCN Red List of Threatened Animals*. IUCN, Gland, Switzerland.

Herskovitz P. 1961. On the South American small-eared zorro *Atelocynus microtis* Sclater (Canidae). *Fieldiana Zoology* 39:505-523.

Hsu TC & Benirschke K. 1970. *Atelocynus microtis* (round-eared dog, small-eared dog). In: *Atlas of Mammalian Chromosomes*. Springer, NY, NY

Huarcaya RP, Beirne C, Rojas SJS, & Whitworth A. 2019. Camera trapping reveals a diverse and unique high-elevation mammal community under threat. *Oryx*. doi:10.1017/S0030605318001096.

Literature: *Atelocynus microtis*
Compiled by the Amazonian Canids Working Group – 01/2021

IUCN Conservation Monitoring Centre. 1986. *1986 IUCN Red List of Threatened Animals*. IUCN, Gland, Switzerland.

IUCN. 1990. *1990 IUCN Red List of Threatened Animals*. IUCN, Gland, Switzerland.

Janson CH & Emmons LH. 1990. Ecological structure of the nonflying mammal community at Cocha Cashu Biological Station, Manu National Park, Peru. In: *Four neotropical forests* (Gentry AH, Editor). Yale University Press, New Haven Connecticut, USA. Pp 314-338.

Koester AD, de Azevedo CR, Vogliotti A, & Duarte JMB. 2008. Ocorrência de *Atelocynus microtis* (Sclater, 1882) no Floresta Nacional do Jamari, estado de Rondônia. *Biota Neotropica* 8(4):231-234.

Leite-Pitman MRP, Beck H, & Velazco P. 2003. Chapter 12: Mamíferos terrestres y arbóreos de la selva baja de la Amazonía peruana entre los ríos Manu y Alto Purús. In: *Alto Purús: Biodiversidad, Conservación y Manejo* (Leite Pitman MRP, Pitman NCA, & Alvarez PC, Editors). Center for Tropical Conservation and INRENA. Perú. Pp. 109-124.

Leite-Pitman MRP, Nieto FV, & Davenport L. 2003. Chapter 21: Amenaza de enfermedades epidémicas a la conservación de carnívoros silvestres en la Amazonía peruana. In: *Alto Purús: Biodiversidad, Conservación y Manejo* (Leite Pitman MRP, Pitman NCA, & Alvarez PC, Editors). Center for Tropical Conservation and INRENA. Perú. Pp. 227-232.

Leite-Pitman MRP & Williams RSR. 2004. The short-eared dog (*Atelocynus microtis*: Sclater 1883). In: *Canids: Foxes, Wolves, Jackals and Dogs. Status survey and conservation action plan*. (Sillero-Zubiri C, Hoffmann M, MacDonald DW, & the IUCN/SSC Canid Specialist Group, Editors). IUCN, Gland, Switzerland. Pp 26-31.

Leite-Pitman R & Beisiegel BM. 2013. Avaliação do estado de extinção do cachorro-do-mato-de-orelhas-curtas *Atelocynus microtis* (Sclater, 1883) no Brasil. *Biodiversidade Brasileira* 3(1):133-137.

Machado FA. 2020. Selection and constraints in the ecomorphological adaptive evolution of the skull of living Canidae (Carnivora, Mammalia). *The American Naturalist*. doi:10.1086/709610

Michalski F. 2010. The bush dog *Speothos venaticus* and short-eared dog *Atelocynus microtis* in a fragmented landscape in southern Amazonia. *Oryx* 44:300-303

Michalski F & Peres CA. 2005. Anthropogenic determinants of primate and carnivore local extinctions in a fragmented forest landscape of southern Amazonia. *Biological Conservation* 124:383-396.

Literature: *Atelocynus microtis*
Compiled by the Amazonian Canids Working Group – 01/2021

Munari DP, Keller C, & Venticinque EM. 2011. An evaluation of field techniques for monitoring terrestrial mammal populations in Amazonia. *Mammalian Biology* 76:401-408.

Nacimiento A. 2014. Mamíferos no voladores de la Estación Biológica Tahuamanu, Bolivia – Pando. Área de Ciencia Económica y Financiera-UAP, SODESBO-Pando. Pando, Bolivia.

Nagy-Reis MB, de Faria Oshima JE, Kanda CZ, Palmeira FBL, de Melo FR, Morato RG, et al. 2020. Neotropical Carnivores: a data set on carnivore distribution in the Neotropics. *Ecology*. DOI: 10.1002/ecy.3128

O'Donnell H. 2020 First record of a short-eared dog scavenging on an armadillo carcass. *Canid Biology & Conservation* 22(7):25-28. URL: http://www.canis.org/CBC/22/Shorteared_dog_scavenging.pdf.

Pacheco V, Patterson BD, Patton JL, Emmons LH, Solari S, & Ascorra CF. 1993. List of mammal species known to occur in Manu Biosphere Reserve, Peru. *Publicaciones del Museo de Historia Natural Universidad Nacional Mayor de San Marcos* 44:1-12.

Pacheco V, de Macedo H, Vivar E, Ascorra CF, Arana-Cardó R, & Solari S. 1995. Lista anotada de los mamíferos peruanos. *Occasional Papers in Conservation Biology* 2:1-35.

Payán E & Escudero S. 2015. Densidad de jaguares (*Panthera onca*) y abundancia de grandes mamíferos terrestres en un área no protegida del Amazonas colombiano. In: *Conservación de Grandes Vertebrados en Áreas No Protegidas de Colombia, Venezuela y Brasil* (Payán E, Lasso CA, & Castaño-Uribe C, Editors). Instituto Alexander von Humboldt, Bogotá, Colombia. Pp 225-242.

Peres CA. 1991. Observations on hunting by small-eared (*Atelocynus microtis*) and bush dogs (*Speothos venaticus*) in central-western Amazonia. *Mammalia* 5:635-639.

Pessutti, C, Santiago, MEB., & Oliveira, LTF. 2001. Chapter 26: Order Carnivora, Family Canidae (Dogs, Foxes, Maned wolves). In: *Biology, Medicine and Surgery of South American Wild Animals* (Fowler MF, Editor & Cubas ZS, Associate Editor). Ames, Iowa State University Press. Pp. 279-290.

Pimenta CS. 2012. Uso de hábitat e ocupação por carnívoros em uma Reserva de Uso Sustentável na Amazônia Central, Brasil. Dissertation Thesis. Instituto Nacional de Pesquisas de Amazônia – INPA, Manaus, Amazonas, Brazil.

Pinheiro LL, Branco ER, de Souza DC, de Souza ACB, Pereira LC, & de Lima AR. 2013. Descrição do plexo braquial do cachorro-do-mato-de-arelas-curtas (*Atelocynus microtis* – Sclater, 1882): relato de caso. *Biotemas* 26(3):203-209.

Literature: *Atelocynus microtis*
Compiled by the Amazonian Canids Working Group – 01/2021

- Pitman N, Moskovits DK, Alverson WS, & Borman A. 2002. Ecuador: Serranías Cofán-Bermejo, Sinangoe. In: *Rapid biological Inventories Report 3* (Pitman N, Moskovits DK, Alverson WS, & Borman R, Editors). The Field Museum, Chicago, USA.
- Rocha DG, et al. 2020. Wild dogs at stake: deforestation threatens the only Amazon endemic canid, the short-eared dog (*Atelocynus microtis*). *Royal Society Open Science* 7:190717. <http://dx.doi.org/10.1098/rsos.190717>.
- Saldanha, KL, Lima, AR, & Branco, É. 2011. Topografía do cone medular do cachorro-do-mato-de-orelhas-pequenas (*Atelocynus microtis* Sclater, 1882): relato de caso. *Biotemas* 24(4):135-139.
- Salvador S, Clavero M, & Pitman RL. 2011. Large mammal species richness and habitat use in an upper Amazonian forest used for ecotourism. *Mammalian Biology* 76:115-123.
- Sampaio R, Lima AP, Magnusson WE, Peres CA. 2010. Long-term persistence of midsized to large-bodied mammals in Amazonia landscapes under varying contexts of forest cover. *Biodiversity and Conservation* 19(8):2421-2439.
- Segura V, Cassini GH, Prevosti FJ, & Machado FA. 2020. Integration or modularity in the mandible of canids (Carnivora: Canidae): a geometric morphometric approach. *Journal of Mammalian Evolution*. doi:10.1007/s10914-020-09502-z
- SERNAP (Servicio Nacional de Áreas Protegidas). 2015. Plan de manejo Parque Nacional Noel Kempff Mercado. Asociación Accidental Sociedad Biodiversa-DQ. Santa Cruz, Bolivia. 521pp.
- Sillero-Zubiri C, Hoffmann M, & Macdonald DW. 2004. *Canids: Foxes, Wolves, Jackals and Dogs. Status Survey and Conservation Action Plan*. IUCN/SSC Canid Specialist Group, IUCN, Gland, Switzerland.
- Shanee S & Shanee N. 2018. Diversity of large mammals in the Marañón-Huallaga landscape, Peru: with notes on rare species. *Zoology and Ecology* 28(4):313-328.
- Solari S, Pacheco V, Luna L, Velazco PM, & Patterson BD. 2006. Mammals of the Manu Biosphere Reserve. *Fieldiana Zoology* 110:13-22.
- Stewart PD. 1988. Tambopata reserve zone, South-east Peru. *Oryx* 22:95-99.
- Takemura, CM, Cesar-Jr, RM, Arantes, RA, Costa, LDF., Hingst-Zaher, E, Bonato, V, & dos Reis, SF. 2004. Morphometrical data analysis using wavelets. *Real-Time Imaging* 10(4):239-250.
- Tantaleán M & Chávez J. 2011. Presencia de *Oncicola* sp. (Acanthocephala) en *Atelocynus microtis* (Canidae) de la Reserva de Biosfera de Manu, Madre de Dios, Perú. *Revista Peruana de Biología* 18(1):135-136.

Literature: *Atelocynus microtis*
Compiled by the Amazonian Canids Working Group – 01/2021

Terborgh J, Fitzpatrick JW, & Emmons L. 1984. Annotated checklist of bird and mammal species of Cocha Cashu Biological Station, Manu National Park, Peru. *Fieldiana Zoology* 21:1-29.

Thatcher VE. 1971. Some hookworms of the Genus *Ancylostoma* from Colombia and Panama. *Proceedings of the Helminthological Society* 38(1):109-116.

Thornback J & Jenkins M. 1982. *The IUCN Mammal Red Data Book. Part 1: Threatened mammalian taxa of the Americas and the Australasian zoogeographic region (excluding Cetacea)*. IUCN, Gland, Switzerland.

Tirira D. 1999. *Mamíferos del Ecuador*. Museo de Zoología, Centro de Biodiversidad y Ambiente, Pontificia Universidad Católica del Ecuador and Sociedad para la Investigación y Monitoreo de la Biodiversidad Ecuatoriana, Quito, Ecuador.

Van Gelder, RG. 1978. A review of canid classification. *American Museum novitates* (2646).

Vaz MGR, de Lima AR, de Souza ACB, Pereira LC, & Branco E. 2011. Estudo morfológico dos músculos de antebraço de cachorro-do-mato-de-orelhas-curtas (*Atelocynus microtis*) e cachorro-do-mato (*Cerdocyon thous*). *Biotemas* 24(4):121-127.

Wallace RB, Alfaro F, Sainz L, Ríos-Uzeda B & Noss A. 2010. Canidae. In: *Distribución, Ecología y Conservación de los Mamíferos Medianos y Grandes de Bolivia* (Wallace RB, Gómez H, Porcel ZR & Rumiz DI, Editors). Centro de Ecología Difusión Simón I. Patiño, Santa Cruz de la Sierra, Bolivia. Pp 367-400.

Wayne RK, Geffen E, Girman DJ, Koepfli KP, Lau LM, & Marshall CR. 1997. Molecular systematics of the Canidae. *Systematic Biology* 46:622-653.

Woodman N, Timm RM, Arana-Cardo R, Pacheco V, Schmidt CA, Hooper ED, & Pacheco-Acero C. 1991. Annotated checklist of the mammals of Cuzco Amazonico, Peru. *Occasional papers of the Museum of Natural History the University of Kansas* 145:1-12.

Wurster DH & Benirschke K. 1968. Comparative cytogenetic studies in the order carnivore. *Chromosoma* 24:336-382.

Zurano JP, Martínez PA, Canto-Hernandez J, Montoya-Burgos JI, & Costa GC. 2017. Morphological and ecological divergence in South American canids. *Journal of Biogeography* 44:821-833.