

Literature: *Cerdocyon thous*  
Compiled by Amazonian Canid Working Group – 09/2015

Beisiegel, B.M. 1999. Contribuição ao estudo da história natural do cachorro do mato, *Cerdocyon thous*, e do cachorro vinagre, *Speothos venaticus*. Ph.D. dissertation. Instituto de Psicologia, Universidade de São Paulo, Brazil. 100 pp.

Biben, M. 1982. Object play and social treatment of prey in bush dogs and crab-eating foxes. *Behaviour* 79:201–211.

Biben, M. 1982. Ontogeny of social behaviour related to feeding in the crab-eating fox (*Cerdocyon thous*) and the bush dog (*Speothos venaticus*). *Journal of Zoology (London)* 196:207–216.

Biben, M. 1983. Comparative ontogeny of social behavior in 3 South American canids, the maned wolf (*Chrysocyon brachyurus*), crab-eating fox (*Cerdocyon thous*), and the bush dog (*Speothos venaticus*): Implications for sociality. *Animal Behaviour* 31:814–826.

Bisbal, F.J. 1988. A taxonomic study of the crab-eating fox, *Cerdocyon thous*, in Venezuela. *Mammalia* 52(2):181–186.

Brady, C.A. 1980. The vocal repertoires of the bush dog (*Speothos venaticus*), crab-eating fox (*Cerdocyon thous*) and maned wolf (*Chrysocyon brachyurus*). *Animal Behaviour* 29:649–669.

Dotto, J.C.P. 1997. Estudo da dieta de *Pseudalopex gymnocercus* (Fischer, 1814) e de *Cerdocyon thous* (Linnaeus, 1766) (Mammalia, Canidae) e sua relação com a mortalidade de cordeiros no Rio Grande do Sul. Dissertação de Mestrado, Pontifícia Universidade Católica do Rio Grande do Sul – PUCRS, Porto Alegre, RS. 80 pp.

Faria-Correa, M. 2003. Abundância, atividade e uso de hábitat por *Cerdocyon thous* (Carnivora: Canidae) no Parque Estadual de Itapuã, Rio Grande do Sul. Proposta de Mestrado (em andamento), Universidade Federal do Rio Grande do Sul – UFRGS, Porto Alegre, RS.

Literature: *Cerdocyon thous*  
Compiled by Amazonian Canid Working Group – 09/2015

Facure, K.G. 1996. Ecologia alimentar do cachorro-do-mato (*Cerdocyon thous*, Carnivora, Canidae), no Parque Estadual do Itapetinga, município de Atibaia, sudeste do Brasil. Tese de Mestrado, Universidade Estadual de Campinas – UNICAMP, Campinas, SP. 52 pp.

Facure, K.G. and E.L.A. Monteiro-Filho. 1996. Feeding habits of the crab-eating fox, *Cerdocyon thous* (Carnivora, Canidae), in a suburban area of southeastern Brazil. *Mammalia* 60(1):147–149.

Jácomo, A.T.A., L. Silveira, and J.A.F. Diniz-Filho. 2004. Niche separation between the maned wolf (*Chysocyon brachyurus*), the crab-eating fox (*Dusicyon thous*) and the hoary fox (*Dusicyon vetulus*) in Central Brazil. *Journal of Zoology* 262:99–106

Lemos, F.G. and K.G. Facure. 2011. Seasonal variation in foraging group size of crab-eating foxes and hoary foxes in the cerrado biome, central Brazil. *Mastozoología Neotropical* 18(2):239–245.

Lemos, F.G., K.G. Facure, and A.N. de Costa. 2007. Interference competition between the crab-eating fox and the hoary fox. *Canid News* 10.3 [online]. URL: [http://www.canids.org/canidnews/10/Competition\\_between\\_crab\\_eating\\_and\\_hoarty\\_fox.pdf](http://www.canids.org/canidnews/10/Competition_between_crab_eating_and_hoarty_fox.pdf).

Macdonald, D. W., and Courtenay, O. 1996. Enduring social relationships in a population of crab-eating zorros, *Cerdocyon thous*, in Amazonian Brazil (Carnivora, Canidae). *Journal of Zoology* 239:329–355.

Maffei, L., R. Paredes, A. Segundo, and A. Noss. 2007. Home range and activity of two sympatric fox species in the Bolivian dry chaco. *Canid News* 10.4 [online]. URL: [http://www.canids.org/canidnews/10/Sympatric\\_foxes\\_in\\_Bolivia.pdf](http://www.canids.org/canidnews/10/Sympatric_foxes_in_Bolivia.pdf).

Literature: *Cerdocyon thous*  
Compiled by Amazonian Canid Working Group – 09/2015

Motta Junior, J.C., J.A.Lombardi, S.A. Talamoni. 1994. Notes on crab-eating fox (*Dusicyon thous*) seed dispersal and food habits in southeastern Brazil. *Mammalia* 58(1):156–159.

Novaes, R.L.M., C.S. Anna, L.F. Menezes, Jr., A.C.S. Façanha, M.S.A. Louro, T.S. Cardoso, S. Felix, R. Silveiras, A.C. Siqueira, R.F. Souza, L.F.C. Dias-de-Oliveira. 2010. Opportunistic predation of bats by crab-eating fox in Atlantic Forest, southeastern Brazil. *Canid News* 13.2 [online]. URL: [http://www.canids.org/canidnews/13/Bat\\_predation\\_by\\_crab-eating\\_fox.pdf](http://www.canids.org/canidnews/13/Bat_predation_by_crab-eating_fox.pdf).

Pedó, E. 2002. Sazonalidade na dieta de Graxaim-do-mato (*Cerdocyon thous*) na Reserva Biológica do Lami, Porto Alegre. Dissertação de Bacharelado, Curso de Ciências Biológicas, Universidade Federal do Rio Grande do Sul – UFRGS, Porto Alegre, RS. 22 pp.

Ramírez-Chaves, H.E. and W.A. Pérez. 2015. New record of crab-eating fox in southwestern Colombia, with comments on its distribution in Colombia and Ecuador. *Canid Biology & Conservation* 18(3):6–9. URL: [http://www.canids.org/CBC/18/crab\\_eating\\_fox\\_in\\_colombia.pdf](http://www.canids.org/CBC/18/crab_eating_fox_in_colombia.pdf).

Sillero-Zubiri, C., M. Hoffmann, and D.W. Macdonald (eds). 2004. *Canids: Foxes, Wolves, Jackals and Dogs. Status Survey and Conservation Action Plan*. IUCN/SSC Canid Specialist Group, IUCN, Gland, Switzerland and Cambridge, UK.

Thoisy, B., M.Vergara, P. Silvestro, and I. Vasconcelos. 2013. Northern extension of records of the crab-eating fox in Brazil. *Canid Biology & Conservation* 16(1):1–3. URL: [http://www.canids.org/CBC/16/crab\\_eating\\_fox\\_in\\_brazil.pdf](http://www.canids.org/CBC/16/crab_eating_fox_in_brazil.pdf).

Zurano, J.P., D.S. Ojeda, C.J. Bidau, W.F. Molina, M.A. Ledesma, and P.A. Martinez. 2015. A comparison of heterochromatic regions in three species of neotropical canids. *Zoologischer Anzeiger* 254:1–7.