

Literature: *Chrysocyon brachyurus*
Compiled by Amazonian Canid Working Group – 09/2015

Amboni, M. P. M. 2007. Dieta, disponibilidade alimentar e padrão de movimentação do lobo-guará, *Chrysocyon brachyurus*, no Parque Nacional da Serra da Canastra, MG. Dissertação de Mestrado, Universidade Federal de Minas Gerais, Belo Horizonte.

Aragona, M. 1997. Hábito alimentar do lobo-guará (*Chrysocyon brachyurus*, Illiger, 1811) nas estações seca e chuvosa no Parque Estadual de Ibitipoca, MG. Dissertação de Mestrado, UNESP, Rio Claro, SP. 40 pp.

Aragona, M. and E.Z. F. Setz. 2001. Diet of the maned wolf, *Chrysocyon brachyurus* (Mammalia: Canidae), during wet and dry seasons at Ibitipoca State Park, Brazil. *Journal of Zoology (London)* 254:131–136.

Azevedo, F.C. and M.L.A. Gastal. 1997. Hábito alimentar do lobo-guará (*Chrysocyon brachyurus*) na APA Gama/Cabeça do Veado. In: Leite, L. L. and C.H. Saito (eds). Dept. Ecologia, Universidade de Brasília, Brasília, DF, Brazil. pp. 238–240.

Azevedo, F.C. 2008. Área de vida e organização espacial de lobos-guará (*Chrysocyon brachyurus*) na região do Parque Nacional da Serra da Canastra, Minas Gerais, Brasil. Dissertação de Mestrado. Universidade Federal de Minas Gerais. Belo Horizonte.

Beccaceci, M.D. 1992. The maned wolf, *Chrysocyon brachyurus*, in Argentina. In: Matern, B. (ed.), *1991 International studbook for the maned wolf Chrysocyon brachyurus (Illiger, 1811)*. Frankfurt Zoological Garden, Frankfurt, Germany. pp. 50–56.

Belentani, S.C.S. 2001. Ecologia alimentar do lobo-guará (*Chrysocyon brachyurus* Mammalia: Canidae) no Parque Florestal Salto e Ponte, município de Prata, MG. Dissertação de Mestrado. Depto Ecologia, USP, São Paulo. 71 pp.

Bestelmeyer, S.V. 2000. Solitary, reproductive and parental behavior of maned wolves (*Chrysocyon brachyurus*). M.Sc. Thesis, Colorado State University.

Literature: *Chrysocyon brachyurus*
Compiled by Amazonian Canid Working Group – 09/2015

- Bestelmeyer, S.V. and C. Westbrook. 1998. Maned wolf (*Chrysocyon brachyurus*) predation on pampas deer (*Ozotoceros bezoarticus*) in Central Brazil. *Mammalia* 62:591–595.
- Biben, M. 1983. Comparative ontogeny of social behavior in 3 South American canids, the maned wolf (*Chrysocyon brachyurus*), crab-eating fox (*Cerdocyon thous*), and the bush dog (*Speothos venaticus*): Implications for sociality. *Animal Behaviour* 31:814–826.
- Brady, C.A. 1980. The vocal repertoires of the bush dog (*Speothos venaticus*), crab-eating fox (*Cerdocyon thous*) and maned wolf (*Chrysocyon brachyurus*). *Animal Behaviour* 29:649–669.
- Bronson, E., L.H. Emmons, S. Murray, E.J. Dubovi, and S. Deem. 2008. Serosurvey of pathogens in domestic dogs on the border of Noel Kempff Mercado National Park, Bolivia. *Journal of Zoology and Wildlife Medicine* 39:28–36.
- Bueno, A.A. and J.C. Motta-Junior. 2006. Small mammals selection and functional response in the diet of the maned wolf, *Chrysocyon brachyurus* (Mammalia: Canidae), in southeast Brazil. *Mastozoología Neotropical* 13(1): 11–19.
- Cartes, J.L., A.J. Giordano, and M.N.M. Cameroni. 2014 Chapter 17: The maned wolf (*Chrysocyon brachyurus*) in Paraguay. In: Consorte-McCrea, A.G. and Santos, E.F. (eds), *Ecology and Conservation of the Maned Wolf – Multidisciplinary Perspectives*. CRC press, Florida, USA. pp. 235–247.
- Carvalho, C.T. and L.E.M. Vasconcellos. 1995. Disease, food and reproduction of the maned wolf – *Chrysocyon brachyurus* (Illiger) (Carnivora, Canidae) in southeast Brazil. *Revista Brasileira de Zoologia* 12:627–640.
- Chiarello, A.G. 2000. Conservation value of a native forest fragment in a region of extensive agriculture. *Revista Brasileira de Biologia*, 60(2):237–247.

Literature: *Chrysocyon brachyurus*
Compiled by Amazonian Canid Working Group – 09/2015

Coelho, C.M., L.F.B. De Melo, M.A.L. Sábato, E.M.V. Magni, A. Hirsch, and R.J. Young. 2008. Habitat use by wild maned wolves (*Chrysocyon brachyurus*) in a transition zone environment. *Journal of Mammalogy*, 89(1):97–104.

Consorte–McCrea, A.G. and R. Rubin. 2009. Attitudes of zoo visitors and professionals towards the conservation of the maned wolf in southeast Brazil. *Canid News* 12.1 [online]. URL: http://www.canids.org/canidnews/12/Attitudes_towards_conservation_of_maned_wolf.pdf

Courtenay, O. 1994. Conservation of the Maned Wolf: Fruitful relations in a changing environment. *Canid News* 2:41–43.

da Fonseca, G. A. B., A.B. Rylands, C.M.R. Costa, R.B. Machado, and Y.R. Leite. 1994. Mamíferos Brasileiros sob Ameaça. In: G. A. B. Fonseca, A. B. Rylands, C. M. R. Costa, R. B. Machado and Y. R. Leite (eds), *Livro vermelho dos mamíferos ameaçados de extinção*. Fundação Biodiversitas, Belo Horizonte, Brazil. pp. 1–10

Deem, S.L. and L.H. Emmons. 2005. Exposure of free–ranging maned wolves (*Chrysocyon brachyurus*) to infectious and parasitic disease agents in the Noel Kempff Mercado National Park, Bolivia. *Journal of Wildlife Medicine* 36:192–197.

Deem, S.L., E. Bronson, S. Angulo, V. Acosta, S. Murray, R.G. Robbins, U. Giger, B Rothschile, and L.H. Emmons. 2012. Morbidity and Mortality. *Smithsonian Contribution Zoology* 639:77–89.

Dietz, J.M. 1984. Ecology and social organization of the maned wolf (*Chrysocyon brachyurus*). *Smithsonian Contributions to Zoology* 392:1–51.

Dietz, J.M. 1985. *Chrysocyon brachyurus*. *Mammalian Species* 234: 1–4.

Emmons, L.H. 2012. The Maned Wolves of Noel Kempff Mercado National Park. *Smithsonian Contributions to Zoology* 639:1–135.

Literature: *Chrysocyon brachyurus*
Compiled by Amazonian Canid Working Group – 09/2015

Emmons, L.H. 2014. Chapter 16: Environmental Influences on Maned Wolf in Bolivia. In: Consorte–McCrea, A.G. and E.F. Santos (eds), *Ecology and Conservation of the Maned Wolf – Multidisciplinary Perspectives*. CRC press, Florida, USA. pp. 221–234.

Ferraz, E. 1999. Ecologia alimentar e dispersão de sementes pelo lobo–guará (*Chrysocyon brachyurus*) em uma área rural no sudeste do Brasil (Carnivora: Canidae). Dissertação de Mestrado, Universidade Estadual Paulista, campus de Rio Claro, SP.

Figueira, C.J.M. 1995. Ocorrência, relações gerais com residentes e comportamento alimentar do lobo–guará (*Chrysocyon brachyurus*), em zona rural do sul do Estado de Minas Gerais. Monografia de bacharelado, Universidade Católica de Goiás, Goiânia.

Garcia, A. 1983. On the social behaviour of maned wolf (*Chrysocyon brachyurus*). *Boletim de Zool.*, Universidade de São Paulo 6:63–77.

Holland, R. Chapter 4: The maned wolf *Ex–Situ* worldwide. In: Consorte–McCrea, A.G. and E.F. Santos (eds), *Ecology and Conservation of the Maned Wolf – Multidisciplinary Perspectives*. CRC press, Florida, USA. pp. 53–62.

Juarez, K.M. and J. Marinho–Filho. 2002. Diet, habitat use, and home ranges of sympatric canids in central Brazil. *Journal of Mammalogy* 83:925–933.

Jácomo, A.T.A. 1999. Nicho alimentar do lobo guará (*Chrysocyon brachyurus* Illiger, 1811) no Parque Nacional das Emas. M.Sc. Thesis, Universidade federal de Goiás.

Jácomo, A.T.A., L. Silveira, and J.A.F. Diniz–Filho. 2004. Niche separation between the maned wolf (*Chrysocyon brachyurus*), the crab–eating fox (*Dusicyon thous*) and the hoary fox (*Dusicyon vetulus*) in Central Brazil. *Journal of Zoology* 262:99–106

Literature: *Chrysocyon brachyurus*
Compiled by Amazonian Canid Working Group – 09/2015

Jácomo, A.T.A., C.K. Kashivakura, C. Ferro, M.M. Furtado, S.P. Astete, N.M. Tôrres, R. Sollmann, and L. Silveira. 2009. Home range and spatial organization of maned wolves in the Brazilian grasslands. *Journal of Mammalogy* 90:150–157.

Kleiman, D.G. 1972. Social behavior of the maned wolf (*Chrysocyon brachyurus*) and Bush Dog (*Speothos venaticus*): a study in contrast. *Journal of Mammalogy* 53:791–806.

Lombardi, J.A. and J.C. Motta Jr. 1993. Seed dispersal of *Solanum lycocarpum* St. Hil. (Solanaceae) by the maned wolf, *Chrysocyon brachyurus* Illiger (Mammalia, Canidae). *Ciência e Cultura* 45:126–127.

Maia, O.B., A.T.A. Jácomo, B.A. Bringel, C.K. Kashivakura, C.A. Oliveira, L.O.F. Teodoro, L. Silveira, M.E.L. Teixeira da Costa, M.C.C. Malta, M.M. Furtado, N.M. Torres, P.S.R. Mattos, P. Viau, T.F.G. Lima, and R.G. Morato. 2008. Comparison of serum hormone levels of captive and free-living maned wolves *Chrysocyon brachyurus*. *Brazilian Journal of Medical and Biological Research* 41(2):176–179.

May Jr., J.A. and P.A.N. Felipe. 2014. Chapter 9: Conservation Medicine. . In: Consorte-McCrea, A.G. and E.F. Santos (eds), *Ecology and Conservation of the Maned Wolf – Multidisciplinary Perspectives*. CRC press, Florida, USA. pp. 109–127.

Mones, A. and J. Olazarri. 1990. Confirmacion de la existencia de *Chrysocyon brachyurus* (Illiger) en el Uruguay (Mammalia: Carnivora: Canidae). *Comunicaciones Zoológicas del Museo de Historia Natural de Montevideo* 12:1–5.

Montalli, R. J. and K. Kelly. 1989. Pathologic survey and review of diseases of captive maned wolves (*Chrysocyon brachyurus*) and bush dogs (*Speothos venaticus*). *Erkrankungen Der Zootiere* 61:67–79.

Motta Jr., J.C., S.A. Talamoni, J.A. Lombardi, and K. Simokomaki. 1996. Diet of the maned wolf *Chrysocyon brachyurus*, in central Brazil. *Journal of Zoology (London)* 240:277–284.

Literature: *Chrysocyon brachyurus*
Compiled by Amazonian Canid Working Group – 09/2015

Motta-Junior, J.C. 2001. Variação temporal e seleção de presas na dieta do lobo-guará, *Chrysocyon brachyurus* (Mammalia: Canidae) na Estação Ecológica de Luís Antônio, SP. In: Santos, J.E. (ed), *Síntese crítica do conhecimento científico referente a Estação Ecológica de Jataí, Luis Antônio, SP*. São Carlos, EDUFSCAR.

Motta-Junior, J.C. and K. Martins. 2001. The frugivorous diet of the maned wolf, *Chrysocyon brachyurus*, in Brazil: ecology and conservation. In: Levey, D. J., W.R. Silva, and M. Galetti (eds): *Seed dispersal and frugivory: ecology, evolution and conservation*. CABI Publishing, Wallingford, Oxfordshire, UK.

Motta-Júnior, J.C. 1997. Ecologia alimentar do lobo-guará, *Chrysocyon brachyurus* (Mammalia: Canidae). In: Ades, C. (ed.), *Anais de XV Encontro Anual de Etologia*. Brazil. pp. 197–209.

Motta-Júnior, J.C., D. Queirolo, and A.B. Bueno. 2014. Chapter 7: Feeding Ecology – A Review. In: Consorte-McCrea, A.G. and E.F. Santos (eds), *Ecology and Conservation of the Maned Wolf – Multidisciplinary Perspectives*. CRC press, Florida, USA. pp. 87–98.

Muir, M.J. and L.H. Emmons. 2012. Conservation, In Emmons, L.H. (ed.) *The Maned Wolf of Noel Kempff Mercado National Park*. Smithsonian Institution Press, Washington, DC. pp 91–116.

Myers, N., R.A. Mittermeier, C.G. Mittermeier, G.A.B. da Fonseca, and J. Kent. 2000. Biodiversity hotspots for conservation priorities. *Nature* 403:853–858.

Ojeda, R.A, V. Chillo, and G.B. Díaz. 2012. Libro rojo mamíferos amenazados de la Argentina. Sociedad Argentina para el Estudio de los Mamíferos (SAREM). 257 pp.

Orozco, M., A.A. Pautasso, and V. Rago. 2009. *Aguara guazú (Chrysocyon brachyurus) en Argentina. Situación actual y acciones de conservación. [Maned wolf (Chrysocyon brachyurus) in Argentina. [Current status and conservation actions.]* Dirección de Fauna Silvestre Secretaria de Ambiente y Desarrollo Sustentable, Argentina.

Literature: *Chrysocyon brachyurus*
Compiled by Amazonian Canid Working Group – 09/2015

Orozco M., L.A. Ceballos, M. Pino, and R.E. Gurtler. 2013. Local threats and potential infectious hazards to maned wolves (*Chrysocyon brachyurus*) in the southeastern Argentine Chaco. *Mammalia* 78:339–349.

Orozco, M.M, G.L. Soler, and P. González. 2013. El aguará guazú en Argentina: acciones para la conservación de la especie y su hábitat. Grupo Argentino Aguara Guazu (GAAG). 11 pp. <http://www.sarem.org.ar/wp-content/uploads/2013/09/InformeGrupoArgentinoAguaraGuazu>. El-aguara-guazu-en-Argentina.pdf

Paula, R.C., P. Medici, and R. Morato. 2008. *Maned Wolf Action Plan – Population and Habitat Viability Assessment/Plan de Acción para la Conservación del Aguara Guazu – Análisis de Viabilidad Poblacional y de Hábitat*. Edições IBAMA, Brasília, Brazil.

Paula, R.C., F.H.G. Rodrigues, D. Queirolo, R.P.S. Jorge, F.G. Lemos, L. de Almeida Rodrigues. 2013. Avaliação do estado de conservação do Lobo-guará *Chrysocyon brachyurus* (Illiger, 1815) no Brasil. *Biodiversidade Brasileira* 3:146–159.

Paula, R.C. and A. Gambarini. 2013. *Historias de Um Lobo – Stories of a Golden Wolf*. Editora Avis Brasilis. Vinhedo

Paula, R.C., F.H.G. Rodrigues, M.X. Bizerril, N. Songsasen, E. Eizirik, R.G. Morato, J.P. Santos, F.C. Azevedo, J.A. May Junior, C.C. Soares, F.L. Rocha, and R.C. Arrais. 2014. Chapter 13: The Maned Wolf Conservation Project – Serra da Canastra, Minas Gerais, Brazil. In: Consorte–McCrea, A. and E. Ferraz (eds), *Ecology and Conservation of the Maned Wolf: Multidisciplinary Perspectives*. CRC Press. Florida, USA

Paula, R.C. and A. Desbiez. 2014. Chapter 2: Population Viability Analysis. In: Consorte–McCrea, A. and E. Ferraz (eds), *Ecology and Conservation of the Maned Wolf: Multidisciplinary Perspectives*. CRC Press. Florida, USA

Literature: *Chrysocyon brachyurus*
Compiled by Amazonian Canid Working Group – 09/2015

Pautasso, A.A (ed). 2009. Estado de conocimiento y conservación del aguará guazú (*Chrysocyon brachyurus*) en la provincia de Santa Fe, Argentina. *Biológica* 11:1–125.

Penna, M.A.H. 2000. Análise Nutricional da Dieta do Lobo–Guará (*Chrysocyon brachyurus*): Desenvolvimento de Subsídios Bioenergéticos para Assessorar a Conservação e Manejo da Espécie. Proposta de Projeto de Mestrado, Universidade Estadual Paulista – UNESP, Rio Claro, SP. 21 pp.

Pessuti, C.A. 1997. Fisiologia digestiva do Lobo–guará (*Chrysocyon brachyurus*) em cativeiro. Tese de mestrado pela Universidade Estadual Paulista, campus de Botucatu, SP.

Queirolo, D. 2001. Seletividade e Sazonalidade das Presas Consumidas pelo Lobo–Guará (*Chrysocyon brachyurus*) no Parque Nacional da Serra da Canastra, Minas Gerais. Dissertação de Mestrado, Instituto de Biociências, Universidade de São Paulo, 84 pp.

Queirolo, D. and J.C. Motta–Junior, 2000. Possível influência das mudanças da paisagem no Parque Nacional da serra da Canastra–MG na dieta do lobo–guará, (*Chrysocyon brachyurus*). *Anais do II Congresso Brasileiro de Unidades de Conservação*. pp 706–714.

Queirolo, D., J.R. Moreira, L. Soler, L.H. Emmons, F.H.G. Rodrigues, A.A. Pautasso, J.L. Cartes, and V. Salvatori. 2011. Historical and current range of the Near Threatened maned wolf *Chrysocyon brachyurus* in South America. *Oryx* 45:296–303.

Ratter, J.A., J.F. Riveiro, and S. Bridgewater. 1997. The Brazilian cerrado vegetation and threats to its biodiversity. *Annals of Botany* 80:223–230.

Richard, E., A. Giraud, and C. Abdala. 1999. Confirmación de la presencia del aguará guazú (*Chrysocyon brachyurus*, Mammalia: Canidae) en la provincia de Santiago del Estero, Argentina. *Acta Zoológica Lilloana* 45:155–156.

Literature: *Chrysocyon brachyurus*
Compiled by Amazonian Canid Working Group – 09/2015

Rodrigues, F.H.G., A. Hass, A.C.R. Lacerda, and R.L.S.C. Grando. 1998. Biologia e conservação do lobo-guará na Estação Ecológica de Águas Emendadas, DF. Seminário de pesquisa em Unidades de Conservação. SEMATEC/IEMA.

Rodrigues, F.H.G. 2002. Biologia e conservação do lobo-guará na Estação Ecológica de Águas Emendadas, DF. Tese (Doutorado em Ecologia). Universidade Estadual de Campinas. 105p.

Rodrigues, F.H.G., A.L.J. Desbiez, R.L.S.C. Grando, A.C.R. Lacerda, A. Hass, and W.R. Silva. 2014. Chapter 2: Population Viability Analysis. In: Consorte-McCrea, A.; Ferraz, E. (eds), *Ecology and Conservation of the Maned Wolf: Multidisciplinary Perspectives*. CRC Press. Florida, USA

Santos, E.F. 1999. Ecologia alimentar e dispersão de sementes pelo lobo-guará (*Chrysocyon brachyurus*, Illiger, 1811) em uma área rural no sudeste do Brasil (Carnivora: Canidae). M.Sc. Dissertation, UNESP.

Scott, P. 1965. Section XIII. Preliminary List of Rare Mammals and Birds. *The Launching of a New Ark. First Report of the President and Trustees of the World Wildlife Fund. An International Foundation for saving the world's wildlife and wild places 1961-1964*. Collins, London, UK. pp. 15-207.

Sillero-Zubiri, C., M. Hoffmann, and D.W. Macdonald (eds). 2004. *Canids: Foxes, Wolves, Jackals and Dogs. Status Survey and Conservation Action Plan*. IUCN/SSC Canid Specialist Group, IUCN, Gland, Switzerland and Cambridge, UK.

Silva, J.A. 2002. Área central de atividade e ecologia alimentar do lobo-guará *Chrysocyon brachyurus* (Mammalia: Canidae) na Reserva Particular do Patrimônio Natural Serra do Caraça, MG. Tese de Mestrado, Pontifícia Universidade Católica de Minas Gerais – PUC-MG, Belo Horizonte, MG.

Silva, J.A.S. 1998. *Chrysocyon brachyurus* (Illiger, 1815): In: Machado, A.B.M. et al. (eds.). *Livro vermelho das espécies ameaçadas de extinção da fauna de Minas Gerais*. Belo Horizonte, Fundação Biodiversitas. pp. 110-112.

Literature: *Chrysocyon brachyurus*
Compiled by Amazonian Canid Working Group – 09/2015

- Silva, J.A. and S.A. Talamoni. 2003. Diet adjustments of maned wolves, *Chrysocyon brachyurus* (Illiger) (Mammalia, Canidae), subjected to supplemental feeding in a private natural reserve, Southeastern Brazil. *Revista Brasileira de Zoologia* 20(2):339–345.
- Silva, J.A. and S.A. Talamoni. 2004. Core área and centre of activity of maned wolves, *Chrysocyon brachyurus* (Illiger) (Mammalia, Canidae), submitted to supplemental feeding. *Revista Brasileira de Zoologia* 21(2):391–395.
- Silveira, L. 1999. Ecologia e conservação dos mamíferos carnívoros do Parque Nacional das Emas, Goiás. M.Sc. Thesis, Universidade Federal de Goiás.
- Silveira, L., A.T. Jácomo, F.H.G. Rodrigues, and P.G. Crawshaw Jr. 1997. Hunting association between the Aplomado Falcon (*Falco femoralis*) and the maned wolf (*Chrysocyon brachyurus*) in Emas National Park, Central Brazil. *Condor* 99(1):201–202.
- Soler, L., J.M. Carenton, D. Birochio, V. Salvatori, M.M. Orozco, M.S. Rosso, M. Carpinetto, S. Heinonen Fortabat, L. Steiman, M.L. Díaz, M.C. Pino, V. Chávez Calvimontes, A.M. Kina, G. Torres Jiménez, P. Prates, and G. Solís. 2005. *Problems and recommendations for the conservation of Maned wolf in Argentina. Results from the First Workshop of Chrysocyon brachyurus in Argentina and surrounding countries: conservation in situ and ex situ.* *Endangered Species UPDATE*, 22(1):1–9.
- Soler, L. 2008. Wild carnivores: from conflict to tolerance. *International Zoo Educators Journal* 44: 47–50.
- Soler, L. and J. Carenton. 2008. The maned wolf: a flagship species for the conservation of wetlands. *WAZA Magazine* No. 10:4–6.
- Soler, L. 2009. Aspectos ecológicos y perspectivas de conservación de *Chrysocyon brachyurus* en Argentina. MSc. Dissertation. Universidad Nacional del Sur, Buenos Aires, Argentina. 123 pp.

Literature: *Chrysocyon brachyurus*
Compiled by Amazonian Canid Working Group – 09/2015

Soler, L. 2014. Chapter 15: Maned wolf in Argentina. In: Consorte–McCrea, A.G. and E.F. Santos (eds), *Ecology and Conservation of the Maned Wolf – Multidisciplinary Perspectives*. CRC press, Florida, USA. pp. 203–220.

Sollmann, R., M.M. Furtado, A.T.A. Jácomo, N.M. Tôrres, and L. Silveira. 2010. Maned wolf survival rate in central Brazil. *Journal of Zoology* 282(3):207–213.

Songsasen, N. and M.D. Rodden. 2010. The role of the Species Survival Plan in Maned wolf *Chrysocyon brachyurus* conservation International Zoo Yearbook 44:136–148.

Thornback, J. and M. Jenkins. 1982. *The IUCN Mammal Red Data Book. Part 1: Threatened mammalian taxa of the Americas and the Australasian zoogeographic region (excluding Cetacea)*. IUCN, Gland, Switzerland.

Trolle, M. 2003. Mammal survey in the southeastern Pantanal, Brazil. *Biodiversity and Conservation* 12:823–836.

Trolle, M. 2003. Mammal survey in the Rio Jauaperí region, Rio Negro Basin, the Amazon, Brazil. *Mammalia* 67:75–83.

Trolle, M., A.J. Noss., E.S. Lima, and J.C. Dalponte. 2007. Camera-trap studies of maned wolf density in the Cerrado and the Pantanal of Brazil. *Biodiversity and Conservation* 16:1197–1204.

Vynne, C. 2010. Landscape use by wide-ranging mammals of the cerrado. PhD Dissertation, Department of Biology, University of Washington, Seattle.

Vynne, C. 2014. Chapter 12: Agricultural expansion and the future of the maned wolf. In: Consorte–McCrea, A.G. and Santos, E.F. (eds), *Ecology and Conservation of the Maned Wolf – Multidisciplinary Perspectives*, pp. 165–176. CRC press, Florida, USA.

Vynne, C. and J.M. Kinsella. 2009. First record of entodiniomorph ciliates in carnivore, the maned wolf (*Chrysocyon brachyurus*), from Brazil. *Journal of Zoo and Wildlife Medicine* 40(2):382–384.

Literature: *Chrysocyon brachyurus*
Compiled by Amazonian Canid Working Group – 09/2015

Vynne, C., J.L. Keim, R.B. Machado, J. Marinho-Filho, L. Silveira, M.J. Groom, and S.K. Wasser. 2011. Resource selection and its implications for wide-ranging mammals of the Brazilian Cerrado. PLoS ONE 6(12):e28939. doi:10.1371/journal.pone.0028939.

Vynne, C., M.R. Baker, Z.K. Breuer, and S K. Wasser. 2011. Factors influencing degradation of DNA and hormones in maned wolf scat. Animal Conservation 15:184–194.

Vynne, C. R.K. Booth, and S.K. Wasser. 2014. Physiological implications of landscape use by free-ranging maned wolves (*Chrysocyon brachyurus*) in Brazil. 95(4):696–706

Williams, R.S.R., E. Torres, J. Magan, A. Cruz, and R. Leite Pitman. 2012. Continued presence of the maned wolf in Peru. Canid News [online] URL: http://www.canids.org/canidsnews/15/Maned_wolf_in_Peru.pdf.

Zuercher, G.L., P.S. Gipson, and G.C. Stewart. 2003. Identification of carnivore feces by local peoples and molecular analyses. Wildlife Society Bulletin 31:961–970.

Zurano, J.P., D.S. Ojeda, C.J. Bidau, W.F. Molina, M.A. Ledesma, and P.A. Martinez. 2015. A comparison of heterochromatic regions in three species of neotropical canids. Zoologischer Anzeiger 254:1–7.