

Literature: *Atelocynus microtis*
Compiled by the Amazonian Canids Working Group – 09/2023

- Acevedo-Quintero JF & Zamora-Abrego JG. 2016. Papel de los mamíferos en los procesos de dispersión y depredación de semillas de *Mauritia flexuosa* (Arecaceae) en la Amazonia colombiana. *Revista de Biología Tropical* 64(1):5-15.
- Aguirre LF, Tarifa T, Wallace RB, Bernal N, Siles L, Aliaga-Rossel E & Salazar-Bravo J. 2019. Lista actualizada y comentada de los mamíferos de Bolivia. *Ecología en Bolivia* 54(2):107-147.
- Antunes AC, Montanarín A, Gräbin DM, dos Santos EC, de Pinho F, Alvarenga GC et al. 2022. AMAZONIA CAMPTRAP: A data set of mammal, bird, and reptile species recorded with camera traps in the Amazon Forest. *Ecology*: e3738. <https://doi.org/10.1002/ecy.3738>.
- Arispe R & Venegas C. 2015. Densidad poblacional de jaguar (*Panthera onca*) y abundancia de mamíferos medianos y grandes en la Unidad de Manejo Forestal CINMA-San Martín, en el Bajo Paragvá. Museo de Historia Natural Noel Kempff Mercao & Gobierno Autónomo Departamental de Santa Cruz. Santa Cruz de la Sierra, Bolivia. 36pp.
- Ayure S & González-Maya JF. 2014. Registro notable del Perro de Orejas Cortas *Atelocynus microtis* (Carnivora: Canidae) en el trapezio amazónico, Colombia. *Notas Mastozoológicas – Sociedad Colombiana de Mastozoología* 1(1):6-7.
- Baillie J & Groombridge B. 1996. *1996 IUCN Red List of Threatened Animals*. IUCN, Gland, Switzerland.
- Bardeleben C, Moore RL, & Wayne RK. 2005. Isolation and Molecular Evolution of the Selenocysteine tRNA (*Cf TRSP*) and RNase P RNA (*Cf RPPH1*) Genes in the Dog Family, Canidae. *Molecular Biology and Evolution* 22(2):347-359.
- Berta A. 1986. *Atelocynus microtis*. *Mammalian Species* 256:1-3.
- Beisiegel B de M. 2017. Cumulative environmental impacts and extinction risk of Brazilian carnivores. *Oecologia Australis* 21(3):350-360.
- Blake JG, Mosquera D, Loiselle BA, Swing K, Guerra J & Romo D. 2012. Temporal activity patterns of terrestrial mammals in lowland rainforest of eastern Ecuador. *Ecotropica* 18:137-146.
- Botelho ALM, Borges LHM, & McFarland B. 2018. Abundance and composition of the medium to large-size mammals in a private area of REDD+ project in Acre, Brazil. *Biota Neotropica* 18(3): e201070487.
- Carvalho A, Martins-Hatano F, Martins F, Gettinger D, Dutra F, & Bergallo H. 2014. Large and medium-sized mammals of Carajás National Forest, Pará state, Brazil. *Check List* 10(1):1-9

Literature: *Atelocynus microtis*
Compiled by the Amazonian Canids Working Group – 09/2023

Chavez DE, Gronau I, Hains T, Dikow RB, Frandsen PB, Figueiro HV, et al. 2022. Comparative genomics uncovers the evolutionary history, demography, and molecular adaptations of South American canids. PNAS 110(34):e2205986119. <https://doi.org/10.1073/pnas.2205986119>

Cisneros-Heredia DF & Mosquera D. 2010. First record of a canid (*Atelocynus microtis*) predating on a caecilian amphibian. *Avances* 2(3):B5-B6.

Dávila Ludeñ IP. 2017. Seroprevalencia de *Toxoplasma gondii* en mamíferos silvestres de un centro de conservación en el departamento de Madre de Dios. DVM Thesis, Universidad Alas Peruanas, Lima, Perú.

Defler T & Santacruz A. 1994. A capture of and some notes on *Atelocynus microtis* (Sclater, 1883) (Carnivora: Canidae) in the Colombian Amazon. *Trianea* 5:417-419.

de Moura Bubadué J, Cáceres N, dos Santos Carvalho R & Meloro C. 2016. Ecogeographical variation in skull shape of South American canids: abiotic or biotic processes? *Evolutionary Biology* 43:145-159.

de Oliveira GL, Viana-Junior AB, Santos Trindade PH, dos Santos IR, de Almeida-Maués PC, Carvalho FG et al. 2023. Wild canids and the ecological traps facing the climate change and deforestation in the Amazon forest. *Ecology and Evolution* 13:e10150.
<https://doi.org/10.1002/ece3.10150>.

Emmons LH & Feer F. 1990. *Neotropical Rainforest Mammals: A Field Guide*. University of Chicago Press, Chicago, USA.

Emmons L, Chavez V, Rocha N, Phillips B, Phillips I, del Águila LF & Swarner MJ. 2006. The non-flying mammals of Noel Kempff Mercado National Park (Bolivia). *Revista Boliviana de Ecología y Conservación Ambiental* 19:23-46.

Fox MW. 1971. *Behaviour of wolves, dogs and related canids*. Harper & Row Publishers, New York, USA.

Emmons LH & Feer F. 1997. *Neotropical Rainforest Mammals: A Field Guide, 2nd Edition*. University of Chicago Press, Chicago, USA.

Gomez H, Wallace RB, Ayala G, & Tejada R. 2005. Dry season activity periods of some Amazonian mammals. *Studies on Neotropical Fauna and Environment* 40:91-95.

Grimwood IR. 1969. Notes on the distribution and status of some Peruvian mammals 1968. *Special publication American Committee for International Wild Life Protection No. 21*. New York Society, Bronx New York, USA.

Literature: *Atelocynus microtis*
Compiled by the Amazonian Canids Working Group – 09/2023

Groombridge B. 1994. *1994 IUCN Red List of Threatened Animals*. IUCN, Gland, Switzerland.

Herskovitz P. 1961. On the South American small-eared zorro *Atelocynus microtis* Sclater (Canidae). *Fieldiana Zoology* 39:505-523.

Hsu TC & Benirschke K. 1970. *Atelocynus microtis* (round-eared dog, small-eared dog). In: *Atlas of Mammalian Chromosomes*. Springer, NY, NY

Huarcaya RP, Beirne C, Rojas SJS, & Whitworth A. 2019. Camera trapping reveals a diverse and unique high-elevation mammal community under threat. *Oryx*.
doi:10.1017/S0030605318001096.

IUCN Conservation Monitoring Centre. 1986. *1986 IUCN Red List of Threatened Animals*. IUCN, Gland, Switzerland.

IUCN. 1990. *1990 IUCN Red List of Threatened Animals*. IUCN, Gland, Switzerland.

Janson CH & Emmons LH. 1990. Ecological structure of the nonflying mammal community at Cocha Cashu Biological Station, Manu National Park, Peru. In: *Four neotropical forests* (Gentry AH, Editor). Yale University Press, New Haven Connecticut, USA. Pp 314-338.

Koester AD, de Azevedo CR, Vogliotti A, & Duarte JMB. 2008. Ocorrência de *Atelocynus microtis* (Sclater, 1882) no Floresta Nacional do Jamari, estado de Rondônia. *Biota Neotropica* 8(4):231-234.

Leite R, Champagne PS, & Ferreira E. 2023. Predation of *Atelocynus microtis* and *Speothos venaticus* (Carnivora: Canidae) by *Boa constrictor* (Squamata: Boidea) in Southwestern Brazil and Southeastern Peru. *Mammalogy Notes* 9(1):326. <https://doi.org/10.47603/man.v9n1.326>.

Leite-Pitman MRP, Beck H, & Velazco P. 2003. Chapter 12: Mamíferos terrestres y arbóreos de la selva baja de la Amazonía peruana entre los ríos Manu y Alto Purús. In: *Alto Purús: Biodiversidad, Conservación y Manejo* (Leite Pitman MRP, Pitman NCA, & Alvarez PC, Editors). Center for Tropical Conservation and INRENA. Perú. Pp. 109-124.

Leite-Pitman MRP, Nieto FV, & Davenport L. 2003. Chapter 21: Amenaza de enfermedades epidémicas a la conservación de carnívoros silvestres en la Amazonía peruana. In: *Alto Purús: Biodiversidad, Conservación y Manejo* (Leite Pitman MRP, Pitman NCA, & Alvarez PC, Editors). Center for Tropical Conservation and INRENA. Perú. Pp. 227-232.

Leite-Pitman MRP & Williams RSR. 2004. The short-eared dog (*Atelocynus microtis*: Sclater 1883). In: *Canids: Foxes, Wolves, Jackals and Dogs. Status survey and conservation action plan*. (Sillero-Zubiri C, Hoffmann M, MacDonald DW, & the IUCN/SSC Canid Specialist Group, Editors). IUCN, Gland, Switzerland. Pp 26-31.

Leite-Pitman R & Beisiegel BM. 2013. Avaliação do estado de extinção do cachorro-do-mato-de-orelhas-curtas *Atelocynus microtis* (Sclater, 1883) no Brasil. *Biodiversidade Brasileira* 3(1):133-137.

Machado FA. 2020. Selection and constraints in the ecomorphological adaptive evolution of the skull of living Canidae (Carnivora, Mammalia). *The American Naturalist*. doi:10.1086/709610

Michalski F. 2010. The bush dog *Speothos venaticus* and short-eared dog *Atelocynus microtis* in a fragmented landscape in southern Amazonia. *Oryx* 44:300-303

Michalski F & Peres CA. 2005. Anthropogenic determinants of primate and carnivore local extinctions in a fragmented forest landscape of southern Amazonia. *Biological Conservation* 124:383-396.

Mosquera-Guerra F, Trujillo F, Aya-Cuero C, Jiménez-Ortega, & Mantilla-Meluk H. 2019. Nuevos registros de cámara trampa de *Atelocynus microtis* (Sclater 1882) (Canidae: Carnivora) en el Parque Nacional Natural sierranía del Chiribiquete, Amazonia Colombiana. *Revista de Biodiversidad Neotropical* 9(1). DOI: <http://dx.doi.org/10.18636/bioneotropical.v8i4.521>.

Munari DP, Keller C, & Venticinque EM. 2011. An evaluation of field techniques for monitoring terrestrial mammal populations in Amazonia. *Mammalian Biology* 76:401-408.

Nacimiento A. 2014. Mamíferos no voladores de la Estación Biológica Tahuamanu, Bolivia – Pando. Área de Ciencia Económica y Financiera-UAP, SODESBO-Pando. Pando, Bolivia.

Nagy-Reis MB, de Faria Oshima JE, Kanda CZ, Palmeira FBL, de Melo FR, Morato RG, et al. 2020. Neotropical Carnivores: a data set on carnivore distribution in the Neotropics. *Ecology*. DOI: 10.1002/ecy.3128

O'Donnell H. 2020 First record of a short-eared dog scavenging on an armadillo carcass. *Canid Biology & Conservation* 22(7):25-28. URL: http://www.canis.org/CBC/22/Shorteared_dog_scavenging.pdf.

Pacheco V, Patterson BD, Patton JL, Emmons LH, Solari S, & Ascorra CF. 1993. List of mammal species known to occur in Manu Biosphere Reserve, Peru. *Publicaciones del Museo de Historia Natural Universidad Nacional Mayor de San Marcos* 44:1-12.

Pacheco V, de Macedo H, Vivar E, Ascorra CF, Arana-Cardó R, & Solari S. 1995. Lista anotada de los mamíferos peruanos. *Occasional Papers in Conservation Biology* 2:1-35.

Literature: *Atelocynus microtis*
Compiled by the Amazonian Canids Working Group – 09/2023

Payán E & Escudero S. 2015. Densidad de jaguares (*Panthera onca*) y abundancia de grandes mamíferos terrestres en un área no protegida del Amazonas colombiano. In: *Conservación de Grandes Vertebrados en Áreas No Protegidas de Colombia, Venezuela y Brasil* (Payán E, Lasso CA, & Castaño-Urbe C, Editors). Instituto Alexander von Humboldt, Bogotá, Colombia. Pp 225-242.

Peres CA. 1991. Observations on hunting by small-eared (*Atelocynus microtis*) and bush dogs (*Speothos venaticus*) in central-western Amazonia. *Mammalia* 5:635-639.

Pessutti C, Santiago MEB, & Oliveira LTF. 2001. Chapter 26: Order Carnivora, Family Canidae (Dogs, Foxes, Maned wolves). In: *Biology, Medicine and Surgery of South American Wild Animals* (Fowler MF, Editor & Cubas ZS, Associate Editor). Ames, Iowa State University Press. Pp. 279-290.

Pimenta CS. 2012. Uso de hábitat e ocupação por carnívoros em uma Reserva de Uso Sustentável na Amazônia Central, Brasil. Dissertation Thesis. Instituto Nacional de Pesquisas de Amazônia – INPA, Manaus, Amazonas, Brazil.

Pinheiro LL, Branco ER, de Souza DC, de Souza ACB, Pereira LC, & de Lima AR. 2013. Descrição do plexo braquial do cachorro-do-mato-de-orelhas-curtas (*Atelocynus microtis* – Sclater, 1882): relato de caso. *Biotemas* 26(3):203-209.

Pitman N, Moskovits DK, Alverson WS, & Borman A. 2002. Ecuador: Serranías Cofán-Bermejo, Sinangoe. In: *Rapid biological Inventories Report 3* (Pitman N, Moskovits DK, Alverson WS, & Borman R, Editors). The Field Museum, Chicago, USA.

Rocha DG, et al. 2020. Wild dogs at stake: deforestation threatens the only Amazon endemic canid, the short-eared dog (*Atelocynus microtis*). *Royal Society Open Science* 7:190717. <http://dx.doi.org/10.1098/rsos.190717>.

Saldanha KL, Lima AR, & Branco É. 2011. Topografia do cone medular do cachorro-do-mato-de-orelhas-pequenas (*Atelocynus microtis* Sclater, 1882): relato de caso. *Biotemas* 24(4):135-139.

Salvador S, Clavero M, & Pitman RL. 2011. Large mammal species richness and habitat use in an upper Amazonian forest used for ecotourism. *Mammalian Biology* 76:115-123.

Sampaio R, Lima AP, Magnusson WE, Peres CA. 2010. Long-term persistence of midsized to large-bodied mammals in Amazonia landscapes under varying contexts of forest cover. *Biodiversity and Conservation* 19(8):2421-2439.

Segura V, Cassini GH, Prevosti FJ, & Machado FA. 2020. Integration or modularity in the mandible of canids (Carnivora: Canidae): a geometric morphometric approach. *Journal of Mammalian Evolution*. doi:10.1007/s10914-020-09502-z

Literature: *Atelocynus microtis*
Compiled by the Amazonian Canids Working Group – 09/2023

- SERNAP (Servicio Nacional de Áreas Protegidas). 2015. Plan de manejo Parque Nacional Noel Kempff Mercado. Asociación Accidental Sociedad Biodiversa-DQ. Santa Cruz, Bolivia. 521pp.
- Sillero-Zubiri C, Hoffmann M, & MacDonald DW. 2004. *Canids: Foxes, Wolves, Jackals and Dogs. Status Survey and Conservation Action Plan*. IUCN/SSC Canid Specialist Group, IUCN, Gland, Switzerland.
- Shanee S & Shanee N. 2018. Diversity of large mammals in the Marañón-Huallaga landscape, Peru: with notes on rare species. *Zoology and Ecology* 28(4):313-328.
- Solari S, Pacheco V, Luna L, Velazco PM, & Patterson BD. 2006. Mammals of the Manu Biosphere Reserve. *Fieldiana Zoology* 110:13-22.
- Stewart PD. 1988. Tambopata reserve zone, South-east Peru. *Oryx* 22:95-99.
- Takemura CM, Cesar-Jr RM, Arantes RA, Costa LDF, Hingst-Zaher E, Bonato V, & dos Reis SF. 2004. Morphometrical data analysis using wavelets. *Real-Time Imaging* 10(4):239-250.
- Tantaleán M & Chávez J. 2011. Presencia de *Oncicola* sp. (Acanthocephala) en *Atelocynus microtis* (Canidae) de la Reserva de Biosfera de Manu, Madre de Dios, Perú. *Revista Peruana de Biología* 18(1):135-136.
- Terborgh J, Fitzpatrick JW, & Emmons L. 1984. Annotated checklist of bird and mammal species of Cocha Cashu Biological Station, Manu National Park, Peru. *Fieldiana Zoology* 21:1-29.
- Thatcher VE. 1971. Some hookworms of the Genus *Ancylostoma* from Colombia and Panama. *Proceedings of the Helminthological Society* 38(1):109-116.
- Thornback J & Jenkins M. 1982. *The IUCN Mammal Red Data Book. Part 1: Threatened mammalian taxa of the Americas and the Australasian zoogeographic region (excluding Cetacea)*. IUCN, Gland, Switzerland.
- Tirira D. 1999. *Mamíferos del Ecuador*. Museo de Zoología, Centro de Biodiversidad y Ambiente, Pontificia Universidad Católica del Ecuador and Sociedad para la Investigación y Monitoreo de la Biodiversidad Ecuatoriana, Quito, Ecuador.
- Van Gelder, RG. 1978. A review of canid classification. *American Museum novitates* (2646).
- Vaz MGR, de Lima AR, de Souza ACB, Pereira LC, & Branco E. 2011. Estudo morfológico dos músculos de antebraço de cachorro-do-mato-de-orelhas-curtas (*Atelocynus microtis*) e cachorro-do-mato (*Cerdocyon thous*). *Biotemas* 24(4):121-127.

Literature: *Atelocynus microtis*
Compiled by the Amazonian Canids Working Group – 09/2023

Wallace RB, Alfaro F, Sainz L, Ríos-Uzeda B & Noss A. 2010. Canidae. In: *Distribución, Ecología y Conservación de los Mamíferos Medianos y Grandes de Bolivia* (Wallace RB, Gómez H, Porcel ZR & Rumiz DI, Editors). Centro de Ecología Difusión Simón I. Patiño, Santa Cruz de la Sierra, Bolivia. Pp 367-400.

Wayne RK, Geffen E, Girman DJ, Koepfli KP, Lau LM, & Marshall CR. 1997. Molecular systematics of the Canidae. *Systematic Biology* 46:622-653.

Woodman N, Timm RM, Arana-Cardo R, Pacheco V, Schmidt CA, Hooper ED, & Pacheco-Acero C. 1991. Annotated checklist of the mammals of Cuzco Amazonico, Peru. *Occasional papers of the Museum of Natural History the University of Kansas* 145:1-12.

Wurster DH & Benirschke K. 1968. Comparative cytogenetic studies in the order carnivore. *Chromosoma* 24:336-382.

Zurano JP, Martínez PA, Canto-Hernandez J, Montoya-Burgos JI, & Costa GC. 2017. Morphological and ecological divergence in South American canids. *Journal of Biogeography* 44:821-833.